



Channabasaveshwara Institute of Technology

(Affiliated to VTU, Belgaum & Approved by AICTE, New Delhi)
(NAAC Accredited & ISO 9001:2015 certified Institution)
NH 206 (B.H. Road), Gubbi, Tumkur – 572 216, Karnataka.



FEEDBACK ANALYSIS – 2021

Department: **CIVIL** Semester: **VII** (Detailed) Academic Year: **2021-22**

Sl. NO	FACULTY NAME	SUBJECT	SUBJECT CODE	TOTAL POINTS	POINTS OBTAINED	% SCORE	REMARKS	FACULTY SIGNATURE
1	Vinayak Rao S R	Municipal and Industrial waste water	17CV71	270	225	83.33	Good	
2	Manjunath M kati	Design of RCC and Steel structures	17CV72	270	220	81.48	Good	
3	Chandan C S	Hydrology and Irrigation Engineering	17CV73	270	233	86.29	Good	
4	Siddartha B H	Ground Water Hydraulics	17CV742	270	226	83.70	Good	
5	Ramya H N	Reinforced earth structures	17CV754	315	273	86.67	Good	
6	Vinayak Rao S R	Environmental Engineering lab	17CVL76	270	225	83.33	Good	
7	Prabhup GP	Environmental Engineering lab	17CVL76	270	226	83.70	Good	
8	Manjunath M kati	Computer Aided Detailing of structures	17CVL77	270	226	83.70	Good	
9	Thyagesh T N	Computer Aided Detailing of structures	17CVL77	225	197	87.56	Good	

NOTE:

90 and above -Excellent
80 to 90 -Good
70 to 80 -Satisfactory
Below 70 -Average

H.H. Dave
22/11/21

A.O.O. of Civil Engg
C.I.T. GUBBI-5/7/216

J. Srinivas
PRINCIPAL,
Channabasaveshwara
Institute of Technology,
GUBBI, TUMKUR-572...

Channabasaveshwara
Institute of Technology,
GUBBI, TUMKUR-572...

Channabasaveshwara Institute of Technology

(Affiliated to VTU, Belgaum & Approved by AICTE, New Delhi)
 (NAAC Accredited & ISO 9001:2015 Certified Institution)
 NH 206 (B.H. Road), Gubbi, Tumkur - 572 216, Karnataka.



FEEDBACK ANALYSIS - 2021

Department: **CIVIL**

Semester: **VII**

Academic Year: **2021-22**

Sl. NO	FACULTY NAME	SUBJECT	SUBJECT CODE	TOTAL POINTS	POINTS OBTAINED	% SCORE	REMARKS	FACULTY SIGNATURE
1	Siddhartha B H	Quantity Surveying and contract management	18CV71	2565	2162	84.29	Good	<i>[Signature]</i>
2	Manjunath M Katti	Design of RCC & Steel Structures	18CV72	2565	2357	91.89	Excellent	<i>[Signature]</i>
3	Prathap GP	Pavement Materials & Construction	18CV733	2565	2126	88.82	Good	<i>[Signature]</i>
4	Ramya H N	Reinforced Earth Structures	18CV743	2565	2258	88.03	Good	<i>[Signature]</i>
5	Ravi N S	Energy & Environment	18ME751	2520	2167	85.99	Good	<i>[Signature]</i>
6	Manjunath M Katti	Computer Aided Detailing of Structures	18CVL76	2475	2195	88.69	Good	<i>[Signature]</i>
7	Thejesh T N	Computer Aided Detailing of Structures	18CVL76	2475	2175	87.88	Good	<i>[Signature]</i>
8	Ramya H N	Geotechnical Engineering lab	18CVL77	2520	2275	90.28	Excellent	<i>[Signature]</i>
9	Prathap GP	Geotechnical Engineering lab	18CVL77	2340	2000	85.47	Good	<i>[Signature]</i>

NOTE:

- 90 and above -Excellent
- 80 to 90 -Good
- 70 to 80 -Satisfactory
- Below 70 -Average

[Signature]
 28/11/21
A.O.P. of Civil Engg.
A.T. GUBBI-572216

[Signature]
PRINCIPAL
Channabasaveshwara
Institute of Technology
GUBBI, TUMKUR-572216



Channabasaveshwara Institute of Technology

(Affiliated to VTU, Belgaum & Approved by AICTE, New Delhi)
(NAAC Accredited & ISO 9001:2015 Certified Institution)

NH 206 (B.H. Road), Gubbi, Tumkur - 572 216, Karnataka.



FEEDBACK ANALYSIS - 2021

Department: **CIVIL**

Semester: **V**

Academic Year: **2021-22**

Sl. NO	FACULTY NAME	SUBJECT	SUBJECT CODE	TOTAL POINTS	POINTS OBTAINED	% SCORE	REMARKS	FACULTY SIGNATURE
1	Venkatesh A L	Construction Management & Entrepreneurship	18CV51	3105	2604	83.86	Good	<i>MP</i>
2	Ajith Kumar R	Analysis of Indeterminate Structures	18CV52	3105	2574	82.90	Good	<i>[Signature]</i>
3	Chandan C S	Design of RC Structural Elements	18CV53	3105	2379	76.62	Satisfactory	<i>[Signature]</i>
4	Ramya H N	Basic Geotechnical Engineering	18CV54	3105	2636	84.89	Good	<i>[Signature]</i>
5	Vinayak Rao S R	Municipal Wastewater Engineering	18CV55	3105	2490	80.19	Good	<i>[Signature]</i>
6	Prathap G P	Highway Engineering	18CV56	3060	2545	83.17	Good	<i>[Signature]</i>
7	Venkatesh A L	Surveying Practice	18CVL57	3105	2588	83.35	Good	<i>MP</i>
8	Chandan C S	Surveying Practice	18CVL57	2925	2343	80.10	Good	<i>[Signature]</i>
9	Prathap GP	Concrete and Highway Materials Laboratory	18CVL58	3105	2529	82.65	Good	<i>[Signature]</i>
10	Siddhartha B H	Concrete and Highway Materials Laboratory	18CVL58	3105	2547	83.24	Good	<i>[Signature]</i>

NOTE:

- 90 and above
- 80 to 90
- 70 to 80
- Below 70

- Excellent
- Good
- Satisfactory
- Average

[Signature] 22/12/21

A.O.D. of CIVIL ENGINEERING
C.I.T. GUBBI-572216

[Signature] 20/12/2021
PRINCIPAL

Channabasaveshwara Institute of Technology
GUBBI, TUMKUR-572216





Channabasaveshwara Institute of Technology

(Affiliated to VTU, Belgaum & Approved by AICTE, New Delhi)

(NAAC Accredited & ISO 9001:2015 Certified Institution)

NH 206 (B.H. Road), Gubbi, Tumkur - 572 216. Karnataka.



FEEDBACK ANALYSIS - 2021

Department: **CIVIL**

Semester: **III**

Academic Year: **2021-22**

SL. NO	FACULTY NAME	SUBJECT	SUBJECT CODE	TOTAL POINTS	POINTS OBTAINED	% SCORE	REMARKS	FACULTY SIGNATURE
1	Chandrashekar J	Transform calculus, Fourier Series and Numerical Techniques	18MAT31	1170	884	75.56	Satisfactory	
2	Dr Sudhikumar G S	Strength of Materials	18CV32	1170	928	79.32	Satisfactory	
3	Thejesh T N	Fluid Mechanics	18CV33	720	630	87.50	Good	
4	Thejesh T N	Building Materials and Construction	18CV34	1125	939	83.50	Good	
5	Siddartha B H	Basic Surveying	18CV35	1080	756	70.00	Satisfactory	
6	Chandan C S	Engineering Geology	18CV36	1125	752	66.84	Average	
7	Ajith Kumar R	BMT Lab	18CVL37	990	774	78.20	Satisfactory	
8	Venkatesh A L	BMT Lab	18CVL37	1035	712	68.79	Average	
9	Manjunath M katti	CAD Lab	18CVL38	990	714	72.12	Satisfactory	
10	Vinayak Rao S R	CAD Lab	18CVL38	945	710	75.13	Satisfactory	
11	Vijay Prakash	CIP	18CPC39	1170	910	77.78	Satisfactory	

NOTE:

90 and above	-Excellent
80 to 90	-Good
70 to 80	-Satisfactory
Below 70	-Average

HOD
22/12/21
H.O.D. of Civil Engg.
CLT, GUBBI-57221A

PRINCIPAL
22/12/2021
Channabasaveshwara
Institute of Technology,
GUBBI, TUMKUR-572210



Channabasaveshwara Institute of Technology

(Affiliated to VTU, Belgaum & Approved by AICTE, New Delhi)
(NAAC Accredited & ISO 9001:2015 Certified Institution)
NH 206 (B.H. Road), Gubbi, Tumkur – 572 216, Karnataka.



FEEDBACK ANALYSIS – 2021

Department: **CIVIL** Semester: **VII** Academic Year: **2021-22**

SL NO	FACULTY NAME	SUBJECT	SUBJECT CODE	TOTAL POINTS	POINTS OBTAINED	% SCORE	REMARKS	FACULTY SIGNATURE
1	Siddartha B H	Quantity Surveying and contract management	18CV71	2880	2394	83.12	Good	
2	Manjunath M Katti	Design of RCC & Steel Structures	18CV72	2835	2566	90.51	Excellent	
3	Prathap GP	Pavement Materials & Construction	18CV733	2880	2388	82.91	Good	
4	Ramya H N	Reinforced Earth Structures	18CV743	2880	2570	89.23	Good	
5	Ravi N S	Energy & Environment	18ME751	2835	2555	90.12	Excellent	
6	Manjunath M Katti	Computer Aided Detailing of Structures	18CVL76	2790	2502	89.67	Good	
7	Thejesh T N	Computer Aided Detailing of Structures	18CVL76	2790	2489	89.21	Good	
8	Ranya H N	Geotechnical Engineering lab	18CVL77	2790	2496	89.46	Good	
9	Prathap GP	Geotechnical Engineering lab	18CVL77	2880	2388	82.91	Good	

NOTE:

90 and above -Excellent
80 to 90 -Good
70 to 80 -Satisfactory
Below 70 -Average

HOD

A.O.A OF CIVIL ENGR
C.I.T. GUBBI-572116

PRINCIPAL

PRINCIPAL,
Channabasaveshwara
Institute of Technology
GUBBI, TUMKUR, KA.



Channabasaveshwara Institute of Technology

(Affiliated to VTU, Belgaum & Approved by AICTE, New Delhi)

(NAAC Accredited & ISO 9001:2015 Certified Institution)

NIH 206 (B.H. Road), Gubbi, Tumkur – 572 216, Karnataka..



FEEDBACK ANALYSIS – 2021

Department: **CIVIL** Semester: **VII** (Parallel) Academic Year: **2021-22**

SL NO	FACULTY NAME	SUBJECT	SUBJECT CODE	TOTAL POINTS	POINTS OBTAINED	% SCORE	REMARKS	FACULTY SIGNATURE
1	Vinayak Rao S R	Municipal and Industrial waste water	17CV71	315	280	88.88	Good	
2	Manjunath M katti	Design of RCC and Steel structures	17CV72	315	282	89.52	Good	
3	Chandan C S	Hydrology and Irrigation Engineering	17CV73	315	283	89.84	Good	
4	Siddarthha B H	Ground Water Hydraulics	17CV742	315	285	90.47	Excellent	
5	Ranya HN	Reinforced earth structures	17CV754	315	285	90.47	Excellent	
6	Vinayak Rao S R	Environmental Engineering lab	17CVL76	315	283	89.84	Good	
7	Prathap GP	Environmental Engineering lab	17CVL76	315	284	90.15	Excellent	
8	Manjunath M katti	Computer Aided Detailing of structures	17CVL77	315	282	89.52	Good	
9	Thejesh T N	Computer Aided Detailing of structures	17CVL77	315	283	89.84	Good	

NOTE:

90 and above
80 to 90
70 to 80
Below 70

-Excellent
-Good
-Satisfactory
-Average

HOD

AJUB. of Civil Engg
CLT, GUBBI-579216

PRINCIPAL

PRINCIPAL,
Channabasaveshwara
Institute of Technology,
311B1, TUMKUR-572216



Channabasaveshwara Institute of Technology

(Affiliated to VTU, Belgaum & Approved by AICTE, New Delhi)
(MAAC Accredited & ISO 9001:2015 Certified Institution)
NH 206 (B.H. Road), Gubbi, Tumkur - 572 216, Karnataka.



FEEDBACK ANALYSIS - 2021

Department: **CIVIL**

Semester: **V**

Academic Year: **2021-22**

SL NO	FACULTY NAME	SUBJECT	SUBJECT CODE	TOTAL POINTS	POINTS OBTAINED	% SCORE	REMARKS	FACULTY SIGNATURE
1	Venkatesh A L	Construction Management & Entrepreneurship	18CV51	3195	2642	82.69	Good	
2	Ajith Kumar R	Analysis of Indeterminate Structures	18CV52	3105	2625	84.54	Good	
3	Chandan C S	Design of RC Structural Elements	18CV53	3105	2585	83.25	Good	
4	Ramya H N	Basic Geotechnical Engineering	18CV54	3150	2813	89.30	Good	
5	Vinayak Rao S R	Municipal Wastewater Engineering	18CV55	3060	2557	83.56	Good	
6	Prathap G P	Highway Engineering	18CV56	3105	2618	84.31	Good	
7	Venkatesh A L	Surveying Practice	18CVL57	3060	2599	84.93	Good	
8	Chandan C S	Surveying Practice	18CVL57	3060	2617	84.52	Good	
9	Prathap GP	Concrete and Highway Materials Laboratory	18CVL58	3060	2586	84.50	Good	
10	Siddartha B H	Concrete and Highway Materials Laboratory	18CVL58	3015	2585	85.73	Good	

NOTE:

90 and above
80 to 90
70 to 80
Below 70

-Excellent
-Good
-Satisfactory
-Average

PRINCIPAL,

A.O.O. of CIVIL ENGRG
C.I.T. GUBBI-572216

Channabasaveshwara
Institute of Technology,
GUBBI, TUMKUR-572216.



Channabasaveshwara Institute of Technology

(Affiliated to VTU, Belgaum & Approved by AICTE, New Delhi)

(NAAC Accredited & ISO 9001:2015 Certified Institution)

NH 206 (B.H. Road), Gubbi, Tumkur - 572 216, Karnataka.



FEEDBACK ANALYSIS - 2022

Department: CIVIL

Semester: IV

Academic Year: 2021-22

SL NO	FACULTY NAME	SUBJECT	SUBJECT CODE	TOTAL POINTS	POINTS OBTAINED	% SCORE	REMARKS	FACULTY SIGN
1	Mrs. Sharayu Pradeep	Complex Analysis, Probability & Statistical Methods	18MAT41	2340	1895	80.98	Good	
2	Dr. Sudhi Kumar GS	Analysis of Determinate Structures	18CV42	2340	2000	85.47	Good	
3	Mr. Thejesh TN	Applied Hydraulics	18CV43	2340	1952	83.41	Good	
4	Mr. Chandan CS	Concrete technology	18CV44	2340	1938	82.80	Good	
5	Mr. Siddhartha BH	Advanced Surveying	18CV45	2340	1948	83.24	Good	
6	Mr. Vinayak Rao S R	Water supply & Treatment Engineering	18CV46	2340	1965	83.97	Good	
7	Mr. Ajith Kumar R	Engineering Geology Lab	18CVL47	2340	1927	82.35	Good	
8	Mr. Chandan CS	Engineering Geology Lab	18CVL47	2340	1927	82.35	Good	
9	Mr. Thejesh TN	Fluid Mechanics & Hydraulics Machines Lab	18CVL48	2340	1954	83.50	Good	
10	Mr. Siddhartha BH	Fluid Mechanics & Hydraulics Machines Lab	18CVL48	2340	1952	83.41	Good	
11	Mr. Vijaya Prakash H B	Vyavaharika / Adalitha Kannada	18KVK49	2340	1888	80.68	Good	

NOTE:

90 and above -Excellent
80 to 90 -Good
70 to 80 -Satisfactory
Below 70 -Average

HOD
C.I.T. GUBBI
C.I.T. GUBBI-572116

PRINCIPAL

Channabasaveshwara

Institute of Technology,

GUBBI TUMKUR 572116





Channabasaveshwara Institute of Technology

(Affiliated to VTU, Belgaum & Approved by AICTE, New Delhi)

(NAAC Accredited 2:ISO 9001:2015 Certified Institution)

NH 206 (B.H. Road), Gubbi, Tumkur - 572 216, Karnataka.

QMP 2.2.1 R/A-2 Rev.2

FEEDBACK ANALYSIS - 2022

Department: CIVIL

Semester: VIII

Academic Year: 2021-22

SL NO	FACULTY NAME	SUBJECT	SUBJECT CODE	TOTAL POINTS	POINTS OBTAINED	% SCORE	REMARKS	FACULTY SIGNATURE
1	Ajith Kumar R	Design of Prestressed Concrete Structures	18CV81	2385	2116	88.72	Good	
2	Venkatesh A L	Rehabilitation and Retrofitting	18CV82	2385	2153	90.27	Excellent	
3	Manjunath M Katti	Project Work	18CVP83	2385	2160	90.56	Excellent	
4	Ajith Kumar R	Technical Seminar	18CVS84	2385	2125	89.09	Good	

NOTE:

90 and above
80 to 90
70 to 80
Below 70

-Excellent
-Good
-Satisfactory
-Average

HOD
for
C.I.T. GUBBI
NH 206
TUMKUR
KARNATAKA
572 216





Channabasaveshwara Institute of Technology

(Affiliated to VTU, Belgaum & Approved by AICTE, New Delhi)

(NAAC Accredited & ISO 9001:2015 Certified Institution)

NH 206 (B.H. Road), Gubbi, Tumkur – 572 216, Karnataka.

FEEDBACK ANALYSIS – 2022

Department: CIVIL

Semester: VI

Academic Year: 2021-22



SL NO	FACULTY NAME	SUBJECT	SUBJECT CODE	TOTAL POINTS	POINTS OBTAINED	% SCORE	REMARKS	FACULTY SIGN
1	Manjunath M Katti	Design of Steel Structural Elements	18CV61	3105	2646	85.21	Good	
2	Ramya H N	Applied Geotechnical Engineering	18CV62	3105	2619	84.34	Good	
3	Chandan C S	Hydrology and Irrigation Engineering	18CV63	3105	2570	82.76	Good	
4	Prathap G P	Railway, Harbour, Tunnelling & Airports	18CV645	3105	2578	83.02	Good	
5	Ravi N S	Non-Conventional Energy Sources	18ME651	3105	2620	84.38	Good	
6	Venkatesh A L	Software Application Lab	18CVL66	3105	2620	84.38	Good	
7	Manjunath M Katti	Software Application Lab	18CVL66	3105	2633	84.8	Good	
8	Vinayak Rao S R	Environmental Engineering Lab	18CVL67	3105	2631	84.73	Good	
9	Prathap G P	Environmental Engineering Lab	18CVL67	3105	2584	83.22	Good	
10	Venkatesh A L	Extensive Survey Project	18CVEP68	3105	2618	84.31	Good	
11	Ajith Kumar R	Extensive Survey Project	18CVEP68	3105	2614	84.18	Good	

NOTE:

90 and above	-Excellent
80 to 90	-Good
70 to 80	-Satisfactory
Below 70	-Average

HOD
H.O.D. of Civil Engg.
C.I.T., GUBBI-572216

PRINCIPAL
PRINCIPAL
Channabasaveshwara
Institute of Technology,
GUBBI, TUMKUR-572216.

