



Channabasaveshwara Institute of Technology

(Affiliated to VTU, Belgaum & Approved by AICTE, New Delhi)
(NAAC Accredited & ISO 9001:2015 Certified Institution)
NH 206 (B.H. Road), Gubbi, Tumkur - 572 216, Karnataka



FEEDBACK ANALYSIS (MID - TERM)

Department: CIVIL

Semester: I

Academic Year: 2023-24

SL NO	FACULTY NAME	SUBJECT	SUBJECT CODE		TOTAL POINTS	POINTS OBTAINED	% SCORE	REMARKS	FACULTY SIGNATURE
			BMAT C101	T L					
1	Dr. Shambulingiah K S	Mathematics for Civil Engg stream-I	T		495	323	65.30	Average	
			L						
2	Mr. Vageesh V Kantli	Physics for Civil Engg Stream	T		450	406	90.20	Excellent	
			L						
3	Dr. Sudhikumar G S	Engineering Mechanics	BCJVC103		495	430	86.90	Good	
4	Dr. Nagesh S B	Introduction to Mechanical Engineering	BESCK104	D	495	433	87.50	Good	
5	Mr. Vinayak Rao S R	Waste Management	BETCK105	F	495	428	86.50	Good	
6	Ms. Roopa Shankar	Communicative English	BENGGK106		495	408	82.40	Good	
7	Mr. Vijay Prakash H P	Samskrutika Kannada/ Balake Kannada	BKSKK107/ BKBKK107		450	362	80.40	Good	
8	Mr. Venkatesh A L	Scientific Foundations of Health	BSFHK158		495	422	85.30	Good	

NOTE:

90 and above -Excellent
80 to 90 -Good
70 to 80 -Satisfactory
Below 70 -Average

HOD
30/11/23

Dept. of Civil Engg
C.I.T., Gubbi

PRINCIPAL
CHANNABASAVESHWARA
Institute of Technology
311RBI TUMKUR 572216



Channabasaveshwara Institute of Technology

(Affiliated to VTU, Belgaum & Approved by AICTE, New Delhi)
(NAAC Accredited & ISO 9001:2015 Certified Institution)
NH 206 (B.H. Road), Gubbi, Tumkur – 572 216. Karnataka



FEEDBACK ANALYSIS (END – TERM)

Department: CIVIL

Semester: I

Academic Year: 2023-24

SL NO	FACULTY NAME	SUBJECT	SUBJECT CODE	TOTAL POINTS	POINTS OBTAINED	% SCORE	REMARKS	FACULTY SIGNATURE
1	Dr. Shambulingiah K S	Mathematics for Civil Engg stream-I	BMAT C101	T	270	176	65.20	Average
				L	270	176	65.20	Average
2	Mr. Vageesh V Kantli	Physics for Civil Engg Stream	BPHYC 102	T	315	270	85.70	Excellent
				L	315	270	85.70	Excellent
3	Dr. Sudhikumar G S	Engineering Mechanics	BCIVC103	360	310	86.10	Good	
4	Dr. Nagesh S B	Introduction to Mechanical Engineering	BESCK104 D	360	296	82.20	Good	
5	Mr. Vinayak Rao S R	Waste Management	BETCK105 F	360	300	83.30	Good	
6	Ms. Roopa Shankar	Communicative English	BENGK106	360	289	80.30	Good	
7	Mr. Vijay Prakash H P	Samskrutika Kannada/ Balake Kannada	BKSKK107/ BKBKK107	360	269	74.70	Satisfactory	
8	Mr. Venkatesh A L	Scientific Foundations of Health	BSFHK158	360	288	80.00	Good	

NOTE:

90 and above -Excellent
80 to 90 -Good
70 to 80 -Satisfactory
Below 70 -Average

[Signature]
HOD
H O U.
Dept. of Civil Engg
C I T., Gubbi

[Signature]
PRINCIPAL
PRINCIPAL,
Channabasaveshwara
Institute of Technology,
NH 206 TUMKUR-572216



Pathway to Academic Excellence

Channabasaveshwara Institute of Technology

(Affiliated to VTU, Belgaum & Approved by AICTE, New Delhi)
(NAAC Accredited & ISO 9001:2015 Certified Institution)
NH 206 (B.H. Road), Gubbi, Tumkur - 572 216, Karnataka



FEEDBACK ANALYSIS (MID - TERM)

Department: CIVIL

Semester: III

Academic Year: 2023-24

SL NO	FACULTY NAME	SUBJECT	SUBJECT CODE	TOTAL POINTS	POINTS OBTAINED	% SCORE	REMARKS	FACULTY SIGNATURE
1	Dr. Sudhikumar G S	Strength of Materials	BCV301	1215	982	80.80	Good	<i>[Signature]</i>
2	Mr. Thejesh T N	Engineering Survey	T	1215	1074	88.40	Good	<i>[Signature]</i>
			L	1170	1011	86.35	Good	
3	Mr. Chandan C S	Engineering Geology	T	1170	1018	87.00	Good	<i>[Signature]</i>
			L	1170	1016	86.83	Good	
4	Mr. Vinayak Rao S R	Water Supply and Waste water Engineering	BCV304	1215	984	81.00	Good	<i>[Signature]</i>
5	Mr. Ajith Kumar R	Computer Aided Building Planning and Drawing	BCV305	1215	981	80.70	Good	<i>[Signature]</i>
6	Mr. Siddhartha B H	Sustainable Design Concept for Building Services	BCV306C	1215	1066	87.70	Good	<i>[Signature]</i>
7	Mr. Venkatesh A L	Social Connect and Responsibility	BSCK307	1170	1021	87.30	Good	<i>[Signature]</i>
8	Mr. Venkatesh A L	Personality Development for Civil Engineers	BCV358D	1215	1062	87.40	Good	<i>[Signature]</i>

NOTE:

90 and above -Excellent
80 to 90 -Good
70 to 80 -Satisfactory
Below 70 -Average

[Signature]
HOD
31/10/24

H O D.,
Dept. of Civil Engg.-
C.I.T., Gubbi.

[Signature]
PRINCIPAL,
Channabasaveshwara
Institute of Technology,
311861 TUMKUR 572214



Performing in Academic Excellence

Channabasaveshwara Institute of Technology

(Affiliated to VTU, Belgaum & Approved by AICTE, New Delhi)
(NAAC Accredited & ISO 9001:2015 Certified Institution)
NH 206 (B.H. Road), Gubbi, Tumkur - 572 216. Karnataka



FEEDBACK ANALYSIS (MID - TERM)

Department: CIVIL

Semester: V

Academic Year: 2023-24

SL NO	FACULTY NAME	SUBJECT	SUBJECT CODE	TOTAL POINTS	POINTS OBTAINED	% SCORE	REMARKS	FACULTY SIGNATURE
1	Mr. Thejesh T N	Hydrology and Water Resources Engineering	21CV51	1620	1577	97.50	Excellent	
2	Mr. Prathap G P	Transportation Engineering	T	1620	1477	91.20	Excellent	G P
			L	1575	1472	93.46	Excellent	
3	Mr. Chandan C S	Design of RC Structural Elements	21CV53	1620	1523	94.00	Excellent	
4	Mrs. Ramya H N	Geotechnical Engineering	21CV54	1620	1454	89.80	Good	
5	Mrs. Ramya H N	Geotechnical Engineering Lab	21CVL55	1620	1489	91.91	Excellent	
6	Mr. Ajith Kumar R	Research Methodology & Intellectual Property Rights	21CV56	1620	1507	93.00	Excellent	
7	Mrs. Ramya H N	Environmental Studies	21CIV57	1620	1486	91.70	Excellent	
8	Mr. Venkatesh A L	Quality Control and Quality Assurance	21CV584	1620	1521	93.90	Excellent	

NOTE:

90 and above -Excellent
80 to 90 -Good
70 to 80 -Satisfactory
Below 70 -Average

31/10/24

HOD

H O D.

Dept. of Civil Engg.

C.I.T., Gubbi.

PRINCIPAL

PRINCIPAL,

Channabasaveshwara
Institute of Technology
31000, TUMKUR 577...



Pathway to Academic Excellence

Channabasaveshwara Institute of Technology

(Affiliated to VTU, Belgaum & Approved by AICTE, New Delhi)
(NAAC Accredited & ISO 9001:2015 Certified Institution)
NH 206 (B.H. Road), Gubbi, Tumkur - 572 216, Karnataka



FEEDBACK ANALYSIS (MID TERM) - 2023

Department: CIVIL

Semester: VII

Academic Year: 2023-24

SL NO	FACULTY NAME	SUBJECT	SUBJECT CODE	TOTAL POINTS	POINTS OBTAINED	% SCORE	REMARKS	FACULTY SIGN
1	Siddhartha B H	Quality Surveying and Contract Management	18CV71	2610	2376	91.03	Excellent	B.H. Siddhartha
2	Manjunath M Katti	Design of RCC and Steel Structures	18CV72	2610	2405	92.15	Excellent	M.Katti
3	Prathap G P	Pavement Materials & Construction	18CV733	2610	2387	91.46	Excellent	P.G.P.
4	Ramya H N	Reinforced Earth Structures	18CV743	2610	2403	92.07	Excellent	Ramya
5	Vinayak Rao S R	Energy and Environment	18ME751	2610	2372	90.88	Excellent	S.R.
6	Manjunath M Katti	Computer Aided Detailing of Structures	18CVL76	2610	2397	91.84	Excellent	M.Katti
7	Ramya H N	Geotechnical Engineering Laboratory	18CVL77	2610	2396	91.80	Excellent	Ramya
8	Venkatesh A L	Geotechnical Engineering Laboratory	18CVL77	2610	2399	91.92	Excellent	V.A.L.
9	Manjunath M Katti	Project Work Phase-I	18CVP78	2610	2393	91.69	Excellent	M.Katti

NOTE:

90 and above -Excellent
80 to 90 -Good
70 to 80 -Satisfactory
Below 70 -Average

G. A. H. HOD
14/12/23

HOD
H. O. U.
Dept. of Civil Engg.
C.I.T., Gubbi

Principal
Channabasaveshwara
Institute of Technology
TUMKUR-572216



Channabasaveshwara Institute of Technology

(Affiliated to VTU, Belgaum & Approved by AICTE, New Delhi)
(NAAC Accredited & ISO 9001:2015 Certified Institution)
NH 206 (B.H. Road), Gubbi, Tumkur - 572 216, Karnataka



FEEDBACK ANALYSIS (END TERM) - 2024

Department: CIVIL

Semester: VII

Academic Year: 2023-24

SL NO	FACULTY NAME	SUBJECT	SUBJECT CODE	TOTAL POINTS	POINTS OBTAINED	% SCORE	REMARKS	FACULTY SIGN
1	Siddhartha B H	Quality Surveying and Contract Management	18CV71	2340	2168	92.65	Excellent	
2	Manjunath M Katti	Design of RCC and Steel Structures	18CV72	2340	2169	92.69	Excellent	
3	Prathap G P	Pavement Materials & Construction	18CV733	2340	2166	92.56	Excellent	
4	Ramya H N	Reinforced Earth Structures	18CV743	2340	2168	92.65	Excellent	
5	Vinayak Rao S R	Energy and Environment	18ME751	2340	2153	92.01	Excellent	
6	Manjunath M Katti	Computer Aided Detailing of Structures	18CVL76	2340	2174	92.91	Excellent	
7	Ramya H N	Geotechnical Engineering Laboratory	18CVL77	2340	2161	92.35	Excellent	
8	Venkatesh A L	Geotechnical Engineering Laboratory	18CVL77	2340	2165	92.52	Excellent	
9	Manjunath M Katti	Project Work Phase-I	18CVP78	2340	2167	92.61	Excellent	

NOTE:

90 and above -Excellent
80 to 90 -Good
70 to 80 -Satisfactory
Below 70 -Average

A. J. J. d. d. d. 20/10/24
HOD

H O D.,

Dept. of Civil Engg.
C.I.T., Gubbi

PRINCIPAL,
Channabasaveshwara
Institute of Technology
311RB, TUMKUR-572214

Channabasaveshwara Institute of Technology

(Affiliated to VTU, Belgaum & Approved by AICTE, New Delhi)
 (NAAC Accredited & ISO 9001:2015 Certified Institution)
 NH 206 (B.H. Road), Gubbi, Tumkur - 572 216, Karnataka



FEEDBACK ANALYSIS (END - TERM)

Department: CIVIL

Semester: III

Academic Year: 2023-24

SL NO	FACULTY NAME	SUBJECT	SUBJECT CODE	TOTAL POINTS	POINTS OBTAINED	% SCORE	REMARKS	FACULTY SIGNATURE
1	Dr. Sudhikumar G S	Strength of Materials	BCV301	1170	969	82.8	Good	
2	Mr. Thejesh T N	Engineering Survey	T	1170	1003	85.7	Good	
			L	1170	1006	85.9		
3	Mr. Chandan C S	Engineering Geology	T	1170	990	84.6	Good	
			L	1170	954	81.5		
4	Mr. Vinayak Rao S R	Water Supply and Waste water Engineering	BCV304	1170	966	82.6	Good	
5	Mr. Ajith Kumar R	Computer Aided Building Planning and Drawing	BCV305	1060	858	80.9	Good	
6	Mr. Siddartha B H	Sustainable Design Concept for Building Services	BCV306C	1170	989	84.5	Good	
7	Mr. Venkatesh A L	Social Connect and Responsibility	BSCK307	1170	958	81.9	Good	
8	Mr. Venkatesh A L	Personality Development for Civil Engineers	BCV358D	1170	952	81.4	Good	

NOTE:

- 90 and above -Excellent
- 80 to 90 -Good
- 70 to 80 -Satisfactory
- Below 70 -Average


26/03/24

HOD

H O D.,

Dept. of Civil Engg.
C.I.T., Gubbi.

PRINCIPAL
 Channabasaveshwara
 Institute of Technology,
 NH 206, TUMKUR 572216



Channabasaveshwara Institute of Technology
 (Affiliated to VTU, Belgaum & Approved by AICTE, New Delhi)
 (NAAC Accredited & ISO 9001:2015 Certified Institution)
 NH 206 (B.H. Road), Gubbi, Tumkur - 572 216, Karnataka



FEEDBACK ANALYSIS (END - TERM)

Department: CIVIL

Semester: V

Academic Year: 2023-24

SL NO	FACULTY NAME	SUBJECT	SUBJECT CODE	TOTAL POINTS	POINTS OBTAINED	% SCORE	REMARKS	FACULTY SIGNATURE
1	Mr. Thejesh T N	Hydrology and Water Resources Engineering	21CV51	1755	1686	96.1	Excellent	
2	Mr. Prathap G P	Transportation Engineering	T	1710	1558	91.1	Excellent	
			L	1755	1603	91.3		
3	Mr. Chandan C S	Design of RC Structural Elements	21CV53	1755	1583	90.2	Excellent	
4	Mrs. Ramya H N	Geotechnical Engineering	21CV54	1755	1601	91.2	Excellent	
5	Mrs. Ramya H N	Geotechnical Engineering Lab	21CVL55	1755	1604	91.4	Excellent	
6	Mr. Ajith Kumar R	Research Methodology & Intellectual Property Rights	21CV56	1755	1577	90.0	Excellent	
7	Mrs. Ramya H N	Environmental Studies	21CIV57	1755	1607	91.6	Excellent	
8	Mr. Venkatesh A L	Quality Control and Quality Assurance	21CV584	1755	1585	90.3	Excellent	

NOTE:

- 90 and above -Excellent
- 80 to 90 -Good
- 70 to 80 -Satisfactory
- Below 70 -Average

HOD
 H O D.,

Dept. of Civil Engg.,
 C.I.T., Gubbi.

PRINCIPAL
 Channabasaveshwara
 Institute of Technology,
 GUBBI TUMKUR 572216